

Boring No.: CS-1

73

Northing:

Project Name: Charter School

Project Number: 3-819-002139

Easting:

Environmental Contractor: AMEC Earth & Environmental, Inc.

Riser Elevation:

Drilling Contractor: BECHO

TOR Height AGL:

Drilling Method:

Well Type: Soil Boring

Drill Hole Depth: 80

Date Boring Started: 1/9/09

Date Boring Completed: 1/9/09

Ground Surface Elevation:

Page 1 of 1

QA Check by: Matt Wilber

Notes:



Depth (feet)	Lithology	Legend	USCS	Description	PID (ppm) Headspace	Elevation (ft-AMSL)
10	SAND		SM	SAND, silty, wet, brown, gravel and rock to 3". SAND, silty, moist, brown, gravel and rock to 3". SAND, silty, moist, brown, gravel and rock 3" to 4". SAND, silty, slightly moist, light brown, gravel and rock 6" to 8". SAND, silty, slightly moist, light brown, gravel and rock 6" to 8". SAND, silty, slightly moist, light brown, gravel and rock 6" to 10".		
50	CLAY		CL	CLAY, brown, moist, with some rock to 4". Approximately 3 - 5' clay grading to silty sandy gravel.		
60	SAND		SM	SAND, silty, slightly moist, light brown, with gravel and rock 6" to 10". SAND, silty, very rocky, slightly moist, light brown, with rock 3" to 10".		
80				End of boring at 80 feet.		

Boring No.: CS-2

74

Northing:

Project Name: Charter School

Project Number: 3-819-002139

Easting:

Environmental Contractor: AMEC Earth & Environmental, Inc.

Riser Elevation:

Drilling Contractor: BECHO

TOR Height AGL:

Drilling Method:

Well Type: Soil Boring

Drill Hole Depth: 70

Date Boring Started: 1/12/09

Date Boring Completed: 1/12/09

Ground Surface Elevation:

Page 1 of 1

QA Check by: Matt Wilber

Notes:



Depth (feet)	Lithology	Legend	USCS	Description	PID (ppm) Headspace	Elevation (ft-AMSL)
-	SAND		SM	SAND, silty, moist, light brown, gravel and rock 3" to 8".		
10-	SAND		SM	SAND, silty, clayey, slightly moist, brown, gravel and rock 3" to 6".		
20-	SAND		SM	SAND, silty, slightly moist, light brown, gravel and rock 3" to 6".		
-	CLAY		CL	CLAY, moist, grayish brown, rock to 3".		
-	SAND		SM	SAND, silty, moist, light grayish brown, traces of clay, rock 3" to 8".		
30-	SAND		SM	SAND, silty, moist, brown, gravel and rock 3" to 10".		
40-						
50-	SAND		SC	SAND, clayey, moist, brown, rock 4" to 10".		
-	SAND		SM	SAND, silty, slightly moist, brown, gravelly.		
60-	SAND		SM	SAND, silty, slightly moist, brown, gravelly		
70-	SAND		SM	SAND, silty, slightly moist, brown, gravel and rock 3" to 8".		
-				End of boring at 70 feet.		

Boring No.: AA-1

#75

Project Name: Active Adult		Project Number: 3-819-002139	Northing:
Environmental Contractor: AMEC Earth & Environmental, Inc.			Easting:
Drilling Contractor: BECHO			Riser Elevation:
Drilling Method:		Well Type: Soil Boring	TOR Height AGL:
Date Boring Started: 1/12/09		Date Boring Completed: 1/12/09	Drill Hole Depth: 70
QA Check by: Matt Wilber		Notes:	Ground Surface Elevation:



Page 1 of 1

Depth (feet)	Lithology	Legend	USCS	Description	PID (ppm) Headspace	Elevation (ft-AMSL)
-	SAND		SM	SAND, silty, dry, light brown, very rocky 3" to 7".		
10-				SAND, silty, dry, light brown, very rocky 3" to 7".		
20-	SAND		SC	SAND, clayey, wet, brown.		
30-	CLAY		CL	CLAY, wet, gray.		
40-	SAND		SM	SAND, silty, slightly moist, grayish brown, rock 3" to 4".		
				SAND, silty, slightly moist, grayish brown, rock 3" to 6".		
	CLAY		CL	CLAY, slightly moist, grayish brown.		
50-				CLAY, moist, grayish brown, gravelly.		
	SAND		SM	SAND, silty, slightly moist, light brown, gravelly.		
60-						
70-				SAND, silty, moist, traces of clay, gravel and rock 3" to 8".		
				End of boring at 70 feet.		

Boring No.: AA-2

76

Northing:

Project Name: Active Adult

Project Number: 3-819-002139

Easting:

Environmental Contractor: AMEC Earth & Environmental, Inc.

Riser Elevation:

Drilling Contractor: BECHO

TOR Height AGL:

Drilling Method:

Well Type: Soil Boring

Drill Hole Depth: 65

Date Boring Started: 1/13/09

Date Boring Completed: 1/13/09

Ground Surface Elevation:

Page 1 of 1

QA Check by: Matt Wilber

Notes:



Depth (feet)	Lithology	Legend	USCS	Description	PID (ppm) Headspace	Elevation (ft-AMSL)
	CLAY		CL	CLAY, wet, gray, rock 1" to 3".		
10				CLAY, wet, gray, rock 1" to 3".		
20				CLAY, wet, brown-gray, rock 1" to 3".		
	SAND		SM	SAND, silty, wet, brown, gravelly.		
30				SAND, silty, wet, brown, gravelly.		
	SAND		SC	SAND, clayey, moist, gray, gravelly.		
40				SAND, clayey, moist, brown, gravelly.		
	CLAY		CL	CLAY, brown to tannish brown.		
50	SAND		SM	SAND, silty, brown, gravel and rock 3" to 8".		
60				SAND, silty, slightly moist, brown, gravel and rock 3" to 7".		
				End of boring at 65 feet.		